

Salon Ursynów

Kraftmann Automation
ul. Maryli 19
02-842 Warszawa

Kom. +48 602 338 544
Czynne: Pn.-Pt. 10:00-18:00
oraz Nd. 10-16



Nazwa	Projektor Optoma EX610ST
Cena	3 239,00 zł
Producent	Optoma

OPIS PRODUKTU

O PRODUKCIE:

- 100% NOWY
- GWARANCJA Producenta 36 Miesięcy
- Paragon Fiskalny Lub Faktura VAT
- Najniższa Cena Na Rynku !!!
- Salon Firmowy Na Terenie M.St. Warszawy
- Większość towarów dostępna w naszych magazynach
- Fachowe Porady I Szeroki Asortyment
- Możliwość Profesjonalnej Instalacji Z Zakresu AV

Niesamowity Projektor Multimedialny
Optoma EX610ST
DLP / XGA / 3000ANSI / 3000:1 /
HDMI / LAN / Trigger 12V / Short-Throw

36 miesięczna gwarancja producenta
12 miesięczna gwarancja na lampę
(door-to-door)

Specyfikacja techniczna:

Display Technology

Single 0.55" XGA DC3 DMD chip DLP® Technology by Texas Instruments

Native Resolution

XGA 1024 x 768

Brightness - BRIGHT mode1

3000 ANSI Lumens

Contrast

3000:1

Noise Level

29/31dB (STD/BRIGHT mode)

Aspect Ratio

4:3 Native, 16:9 Compatible

Weight

3.1 kg

I/O Connectors

Inputs:

PC/Video: HDMI, 2 x 15 Pin D-sub (RGB/YPbPr), S-Video, Composite, 2 x Audio In - Jack/RCA, USB (remote mouse), Microphone

Outputs:

VGA Out, Audio Out - Mini Jack, +12v Trigger

Control:

RS232, RJ45

Preset Mode

Movie:

Maximum contrast and Colour accuracy

sRGB:

Best Colour Reproduction

User:

Memorises user's settings

Presentation

Default mode, perfect with computers or notebooks

Bright

For environments with high ambient light (Brightest image)

Classroom

1500 ANSI Lumens, perfect for installations with interactive whiteboards

Blackboard

Perfect for installations with blackboards

Maximum Resolution

UXGA 1600 x 1200

Computer Compatibility

UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac

Video Compatibility

PAL (B, D, G, H, I, M, N, 576i/p), NTSC (M, 4.43/3.58 MHz, 480i/p), SECAM (B, D, G, K, K1, L) HD (1080i, 720p)

Displayable Colours

1.07 Billion

Projection Lens

F/2.8; f=7.017mm, Fixed Zoom

Throw Ratio

0.626:1

Projection Screen Size

1.00 – 5.00m (39.34" – 196.71") Diagonal 4:3

Projection Distance

0.5 - 2.5 metres

Horizontal Scan Rate

15 - 91kHz

Vertical Scan Rate

25 - 85Hz (120Hz for 3D)

Lamp Type/Lamp Life²

4000/3000 hours (STD/BRIGHT mode)

Keystone Correction

± 40° Vertical

Audio

10W

Dimensions (W x D x H)

306 x 243 x 113mm

Remote Control

Full function remote with direct source selecting

Power Supply

100-240V, 50-60Hz

Power Consumption

295W BRIGHT mode < 1W Standby mode, 205W STD mode < 1W Standby mode

Operating Conditions

5°C - 40°C, Max. Humidity 85%, Max. Altitude 3000m

Uniformity

80%

Security

Security Bar, Kensington Lock, Password Protection

Standard Accessories

Lens Cover, AC Power Cord, VGA Cable, Infra Red Remote Control with Batteries, Quick Start Card, CD

User Manual, Warranty Card

Optional Accessories

Wall Mount - OPCWM835

RoHS

Compliant

3D Support

120Hz frame sequential 3D for resolutions up to 720P. 60Hz field sequential 3D for resolutions up to 480i.

3D Viewing

Requires Optoma DLP® Link™ active shutter glasses – sold separately

3D Compatibility

The 3D features of the EX610ST can only be used with compatible 3D content. Typical applications include use with 3D educational or 3D design and modelling software. Currently the EX610ST does not support 3D TV broadcast systems, SKY in the UK or 3D Blu-ray, though support for these applications may be added in future using additional hardware.

Gorąco zapraszamy po odbiór osobisty !!!
Wysyłamy również firmą kurierską !!!
U W A G A !!!
Dodatkowo RABAT na dowolny ekran 10%!

> > KLIKNIJ < <

i/lub
RABAT na dowolny uchwyt do projektora 10%!

> > KLIKNIJ < <

Zapraszamy do odwiedzenia naszej siedziby
na ul. Kabrioletu 4
(przy ul. Modlińskiej)
oraz sklepu firmowego
przy ul. Powst. Śląskich 87 lok. 10A i 10B
(przy skrzyżowaniu ulic Powstańców Śląskich i Górczewskiej)
gdzie istnieje możliwość odbioru osobistego zakupionego towaru.
W razie pytań:
- zadzwoń
tel. (022) 427-89-95 (pon-pt 9.00-17.00)
kom. 0-501-726-922
*
0-512-207-819
(pon-nd 8.00-20.00)
- napisz:
robert@kraftmann.com
wojtek@kraftmann.com
info@kraftmann.com.pl